

	<b>ANDHRA PRADESH POLLUTION CONTROL BOARD</b>	Phone:
	<b>D.No. 33-26-14 D/2, Near Sunrise Hospital, Pushpa Hotel Centre, Chalamalavari Street, Kasturibaipet, Vijayawada – 520010</b>	0866 - 2436217 Website : www.appcb.ap.nic.in

**CONSENT ORDER FOR ESTABLISHMENT**

**Order No. 242 /APPCB/CFE/RO-NLR/HO/2018      17/09/2018**

Sub: APPCB – CFE - **M/s. NATCO Pharma Limited, Sy No.56(P) & 60(P), APIIC, Industrial Park, Attivaram Village, Ozili Mandal, SPSR Nellore District -**  
Consent for Establishment (CFE) of the Board under Sec.25 of Water (P & C of P) Act, 1974 and Under Sec.21 of Air (P&C of P) Act, 1981 - Issued - Reg.

Ref:

1. EC order dt. 09.03.2017 issued by MoEF&CC, GOI to APIIC, Industrial Park, Attivaram.
2. Industry's CFE application received through Single Desk Portal on 17.08.2018.
3. R.O's inspection report dt. 21.08.2018.
4. CFE Committee meeting held on 06.09.2018.
5. Industry's Ir. dt. 06.09.2018.

1. In the reference 1st cited, an application was submitted to the Board seeking Consent for Establishment (CFE) to produce the following products with installed capacities as mentioned below, with a project cost of Rs. 30 Crores.

S.No	Name of the Products and By-products	Capacity
1	Chloran Tranilliprole (CTP)	4.0 TPD
<b>By-product</b>		
1	Sodium Bi Sulphite / Sodium Chloride	1.68TPD

2. As per the application, the above activity is to be located at Sy. No.56(P) & 60(P), APIIC, Industrial Park, Attivaram Village, Ozili Mandal, SPSR Nellore District in an area of 2.346 Acres (9494 Sq. m.)

3. The above site was inspected by the Environmental Engineer, Regional Office, Nellore, A.P Pollution Control Board on 20.08.2018 and observed that the site is surrounded by

**North** : Lands belong to Dept. of Forest  
**South** : APIIC Road  
**East** : M/s. Allegro Speciality Chemicals Pvt. Ltd.,  
**West** : M/s. Allegro Speciality Chemicals Pvt. Ltd.,

4. The Board, after careful scrutiny of the application, verification report of Regional Officer and recommendations of the CFE Committee, hereby issues **CONSENT FOR ESTABLISHMENT** to the project under Section 25 of Water (Prevention & Control of Pollution) Act 1974 and Section 21 of Air (Prevention & Control of Pollution) Act, 1981 and the rules made there under. **This order is issued to manufacture the products as mentioned at para (1) only.**
5. This Consent order issued is subject to the conditions mentioned in the Annexure.
6. This order is issued from pollution control point of view only. Zoning and other regulations are not considered.
7. **This order is valid for a period of 7 years from the date of issue.**

Encl: Annexure

**VIVEK YADAV IAS  
MEMBER SECRETARY**

To

**M/s. NATCO Pharma Limited,  
Road No.26,  
House No.8-2-293/82/A/530  
Jubilee Hills, Hyderabad – 500 033.  
rajesh.chebiyam@natcopharma.co.in**

Copy to: 1. The JCEE, Z.O: Vijayawada for information and necessary action.  
2. The EE, R.O: Nellore for information and necessary action.

**Annexure**

1. The proponent shall obtain Consent for Operation (CFO) from APPCB, as required Under Sec.25/26 of the Water (P&C of P) Act, 1974 and under sec. 21/22 of the Air (P&C of P) Act, 1981, before commencement of the trial runs.
2. The applicant shall provide separate energy meters for Effluent Treatment Plant (ETP) and Air pollution Control equipments to record energy consumed. An alternative electric power source sufficient to operate all pollution control systems shall be provided.
3. The industry shall construct separate storm water drains and provide rain water harvesting structures. No effluents shall be discharged in to the storm water drains.

**Water:**

4. The source of water is Bore well and the maximum permitted water consumption is as following:

S.No.	Purpose	Quantity (KLD)
1.	Process	41.2
2.	Chilled Water Plant	15.0
3.	Brine Plant	10.0
4.	Cooling Tower make up	65.0
5.	Washings	2.0
6.	Scrubbing	3.0
7.	Green Belt	1.0
8.	Domestic	3.0
	<b>Total</b>	<b>140.2 KLD</b>

Separate meters with necessary pipe-line shall be provided for assessing the quantity of water used for each of the purposes mentioned above.

5. The maximum waste water generation shall not exceed the following:

S.N.	Purpose	Quantity (KLD)		
		HTDS effluents	LTDS Effluents	Effluent Generation
1.	Process	42.65	0.0	42.65
2.	Washings	0.0	2.0	2.0
3.	Cooling Tower Bleed off	0.0	18.0	18.0
4.	Scrubbing system	3.40	0.0	3.40
5.	Domestic	0.0	2.4	2.4
	<b>Total</b>	<b>46.05</b>	<b>22.40</b>	<b>68.45</b>

**Treatment & disposal:**

Source of effluent	Treatment	Mode of final disposal
HTDS & LTDS effluent	ETP consisting of Bar chamber, primary settling tank, Equalization tank, Primary Clarifier Tank, Feed tank, etc. followed by Stripper (50 KLD) with MEE (60 KLD) of 3-Stage, ATFD (7 KLD). The waste water from MEE & ATFD condensate shall be collected in intermittent collection tank and fed to Biological Treatment system (30 KLD). The Biological treatment consists of Aeration tank, secondary clarifier tank. Intermittent collection tank, pressure sand filter, Activated carbon filter, RO Plant (70 KLD), RO permeate collection tank, RO reject collection tank, sludge drying beds etc.	<ul style="list-style-type: none"> <li>• After treatment in Biological treatment, the MEE condensate will be reused for cooling tower make up, to achieve ZLD.</li> <li>• RO rejects to MEE</li> <li>• RO permeate to re-used in the cooling tower makeup.</li> </ul>
Domestic	--	Septic tank followed by a soak pit

6. The ZLD system consisting of stripper, MEE, ATFD system with condenser and Biological ETP, RO plant shall be installed and commissioned. All the units of the ZLD system shall be impervious to prevent ground water pollution. The units of ZLD system shall be constructed above the ground level.

Effluents shall not be discharged on land or into any water bodies or aquifers under any circumstances.

7. The industry shall provide magnetic digital flow meters with totalisers at the inlet and outlet of Stripper, MEE, ETP and RO.
8. The industry shall install online real time monitoring system along with web camera facilities and shall connect them to APPCB / CPCB websites.
9. Floor washing shall be admitted into the effluent collection system only and shall not be allowed to find their way in storm drains or open areas. All pipe valves, sewers, drains shall be leak proof.

**Air:**

10. **The proponent has not proposed to install boiler for steam requirement. M/s. Allegro Speciality Chemicals Private Limited installed boiler of capacity 6 TPH. It is located adjacent to the proposed unit. The surplus steam generated from the boiler is 2 TPH to 3 TPH. The steam is to be conveyed through pipeline and utilized in M/s. NATCO Pharma Limited.**
11. The Air pollution Control equipment shall be installed along with the commissioning of the activity and shall comply with the following for controlling air pollution.

<b>S.N</b>	<b>Details of Stack</b>	<b>Stack 1</b>
a)	Attached to	DG Set
b)	Capacity	1010 KVA
c)	Name of the Fuel	Diesel
d)	Stack height above roof (m.)	6.5 m
e)	Air Pollution Control Equipment	Acoustic enclosures

12. A sampling port with removable dummy of not less than 15 cm diameter shall be provided in the stack at a distance of 8 times the diameter of the stack from the nearest constraint such as bends etc. A platform with suitable ladder shall be provided below 1 meter of sampling port to accommodate three persons with instruments. A 15 AMP 250 V plug point shall be provided on the platform.
13. The industry shall provide the monitoring system to all the stacks / vents in the plant. Regular monitoring shall be carried out and report shall be submitted to the Regional officer.
14. The industry shall provide multi-stage scrubbers to the process vents to control the process emissions. The industry shall provide online pH measuring facility with auto recording system to the scrubbers provided to treat the process emissions.
15. The industry shall provide VOC monitoring system with auto recording facility.

16. The industry shall implement adequate measures to control all fugitive emissions from the plant.

17. The proponent shall ensure compliance of the National Ambient Air quality standards notified by MoEF, GoI vide notification No. GSR. 826 (E), dated. 16.11.2009 during construction and regular operational phase of the project at the periphery.

The generator shall be installed in a closed area with a silencer and suitable noise absorption systems. The ambient noise level shall not exceed 75 dB(A) during day time and 70 dB(A) during night time.

18. The proponent shall not use or generate odour causing substances or Mercaptans and cause odour nuisance in the surroundings.

19. The industry shall send the used / spent solvents to the recyclers (or) process them at their own solvent recovery facility within the premises.

20. The evaporation losses in solvents shall be controlled by taking the following measures:

- i. Chilled brine circulation shall be carried out to effectively reduce the solvent losses into the atmosphere.
- ii. Transfer of solvents shall be done by using pumps instead of manual handling.
- iii. Closed centrifuges shall be used to reduce solvent losses.
- iv. All the solvent storage tanks shall be connected with vent condensers to prevent solvent vapours.
- v. The reactor vents shall be connected with primary & secondary condensers to prevent escaping of solvent vapour emissions into atmosphere.

**Solid Waste:**

21. The industry shall comply with the following for disposal of Solid wastes as per Ir. dt. 06.09.2018:

<b>S.N</b>	<b>Name of the waste</b>	<b>Quantity</b>	<b>Method of disposal</b>
1)	Organic Residue	0.396 TPD	To cement units for co-processing / TSDf for incineration.
2)	ETP sludge	132.50 kg/day	To TSDf for secured land fill.
3)	Inorganic salts (Evaporation salts)	2320.80 kg/day	
4)	Waste Oil	200 lt/month	To authorized re-processors / Recyclers
5)	Detoxified Containers	500 Nos./Month	After Detoxification shall be sent to outside agencies
6)	Used Lead Acid Batteries	2 Nos./Annum	To suppliers on buy back basis.
7)	Distillation Bottom Residue	250 kg/day	To cement units for co-processing / TSDf for incineration.
8)	Spent mixed solvents (from stripper)	500 kg/day	
9)	Spent Carbon	25 kg/day	

22. The proponent shall place the chemical drums and / or any drums in a shed provided with concrete platform only. The Platform shall be provided with sufficient dyke wall and effluent collection system. The industry shall provide containers detoxification facility. Container & Container liners shall be detoxified at the specified covered platform with dyke walls and the wash wastewater shall be routed to low TDS collection tank.
23. The following rules and regulations notified by the MoEF&CC, GoI shall be implemented.
  - a) Hazardous waste and other wastes (Management and Transboundary Movement) Rules, 2016.
  - b) Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989
  - c) Fly Ash Notification, 2016.
  - d) Batteries (Management & Handling) Rules, 2010.
  - e) E-Waste (Management) Rules, 2016.
  - f) Construction and Demolition waste Management Rules, 2016.

**Other Conditions:**

24. Green belt shall be developed all along the boundary & vacant spaces with tall growing trees with good canopy and it shall not be less than 18% of the total area as committed vide Ir. dt. 06.09.2018.
25. The industry shall submit the information regarding usage of Ozone Depleting Substance once in six months to the Regional Office and Zonal Office of the Board.
26. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order attracts action under the provisions of relevant pollution control Acts.
27. Notwithstanding anything contained in this conditional letter or consent, the Board hereby reserves its right and power Under Sec. 27(2) of Water (Prevention and Control of Pollution) Act, 1974 and Under Sec.21(4) of Air (Prevention and Control of Pollution) Act, 1981 to revoke the order, to review any or all the conditions imposed herein and to make such modifications as deemed fit and stipulate any additional conditions.

28. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Andhra Pradesh Water Rules, 1976 and Air Rules,1982, to such authority (hereinafter referred to as the Appellate Authority) constituted under Section 28 of Water (Prevention and Control of Pollution) Act,1974 and Section 31 of the Air (Prevention and Control of Pollution) Act, 1981.

**VIVEK YADAV IAS  
MEMBER SECRETARY**

**To**

**M/s. NATCO Pharma Limited,  
Road No.26, House No.8-2-293/82/A/530  
Jubilee Hills, Hyderabad – 500 033.  
rajesh.chebiyam@natcopharma.co.in**



**ANDHRA PRADESH POLLUTION CONTROL BOARD**  
D. No. 33-26-14 D/2, Near Sunrise Hospital, Pushpa Hotel Centre,  
Chalamalavari Street, Kasturibaipet, Vijayawada - 520 010  
Website: www.pcb.ap.gov.in

**CONSENT ORDER FOR ESTABLISHMENT**

**Order No.242 /APPCB/CFE/RO-NLR/HO/2018**

**23/12/2019**

Sub: APPCB – CFE – **M/s. Natco Pharma Limited**, Plot No: 29, Sy.No: 56(P) & 60, APIIC Industrial Park, Attivaram Village, Ozili Mandal, SPSR Nellore District - **Consent for Establishment (CFE)** of the Board for **EXPANSION** under Sec.25 of Water (P & C of P) Act, 1974 and Under Sec.21 of Air (P&C of P) Act, 1981 - Issued - Reg.

Ref: 1. EC order dt. 09.03.2017 issued to entire Industrial Park.  
2. CFE order dt. 17.09.2018  
3. Industry's CFE application received through Single Desk Portal on 25.11.2019.  
4. R.O's inspection report dt. 29.11.2019.  
5. CFE Committee meeting held on 17.12.2019.

1. In the reference 1st cited, an application was submitted to the Board seeking Consent for Establishment (CFE) for **EXPANSION** to produce the products with installed capacities as mentioned below, without any additional investment.

S.N	Name of the Products and By-products	Quantity (TPD)	Proposed qty. for expansion (TPD)	Total qty. after expansion (TPD)
1	Chloran Tranilliprole (CTP)	4.0	-	4.0
2	Thiamethoxam	--	4.0	4.0
	<b>By-product</b>			
3	Sodium Bi-Sulphite/ Sodium Chloride	1.68	-	1.68

2. As per the application, the above activity is to be located in the existing premises located at **Plot No: 29, Sy.No: 56(P) & 60, APIIC Industrial Park, Attivaram Village, Ozili Mandal, Sri Potti Sriramulu Nellore District** in an area of 2.346 Acres.

3. The above site was inspected by the Environmental Engineer, Regional Office, Nellore, A.P Pollution Control Board on 26.11.2019 and observed that the site is surrounded by

**North** : Lands belong to Dept. of Forest  
**South** : APIIC Road  
**East** : M/s. Allegro Speciality Chemicals Pvt. Limited  
**West** : Village Road



4. The Board, after careful scrutiny of the application, verification report of Regional Officer and recommendations of the CFE Committee, hereby issues **CONSENT FOR ESTABLISHMENT FOR EXPANSION** to the project under Section 25 of Water (Prevention & Control of Pollution) Act 1974 and Section 21 of Air (Prevention & Control of Pollution) Act, 1981 and the rules made there under. **This order is issued to manufacture the products as mentioned at para (1) only.**
5. This Consent order issued is subject to the conditions mentioned in the Annexure.
6. This order is issued from pollution control point of view only. Zoning and other regulations are not considered.
7. **This order is valid for a period of 7 years from the date of issue.**

Encl: Annexure

**VIVEK YADAV IAS, MS(VY), O/o MEMBER SECRETARY-APPCB  
MEMBER SECRETARY**

**To**

**M/s. NATCO Pharma Limited, (expn)  
Road No.26,  
House No.8-2-293/82/A/530  
Jubilee Hills, Hyderabad – 500 033.  
rajesh.chebiyam@natcopharma.co.in**

Copy to: 1. The JCEE, Z.O: Vijayawada for information and necessary action.  
2. The EE, R.O: Nellore for information and necessary action.

**ANNEXURE**

1. The proponent shall obtain Consent for Operation (CFO) from APPCB, as required Under Sec.25/26 of the Water (P&C of P) Act, 1974 and under sec. 21/22 of the Air (P&C of P) Act, 1981, before commencement of the trial runs.
2. The applicant shall provide separate energy meters for Effluent Treatment Plant (ETP) and Air pollution Control equipments to record energy consumed. An alternative electric power source sufficient to operate all pollution control systems shall be provided.
3. The industry shall construct separate storm water drains. No effluents shall be discharged in to the storm water drains.

**Water:**

4. The source of water is APIIC / Bore well and the maximum permitted water consumption after expansion is as following:

S.No.	Purpose	Quantity (KLD)
1.	Process	41.2
2.	Chilled Water Plant	15.0
3.	Brine Plant	10.0
4.	Cooling Tower make up	65.0
5.	Washings	2.0
6.	Scrubbing	3.0
7.	Green Belt	1.0
8.	Domestic	3.0
	<b>Total</b>	<b>140.2</b>

Separate meters with necessary pipe-line shall be provided for assessing the quantity of water used for each of the purposes mentioned above.

5. The maximum waste water generation shall not exceed the following after expansion:

S.N.	Purpose	Quantity (KLD)		
		HTDS	LTDS	Total
1.	Process	42.65	0.0	42.65
2.	Washings	0.0	2.0	2.0
3.	Cooling Tower Bleed off	0.0	18.0	18.0
4.	Scrubbing system	3.40	0.0	3.40
5.	Domestic	0.0	2.4	2.4
	<b>Total</b>	<b>46.05</b>	<b>22.40</b>	<b>68.45</b>

**Note :** The proponent has not proposed to install boiler for steam requirement.

It is proposed to meet from M/s. Allegro Speciality Chemicals Private Limited, which is located beside the proposed industry in East direction through pipeline and hence there is no boiler make up water requirement or waste water generated from boiler.

The new process going to be adopted to manufacture the existing product i.e., Chloran Tranilliprole (CTP) due to which water consumption and waste water generation reduced drastically and hence there would be no change in water consumption and waste water generation.

**Treatment & disposal:**

<b>Source of effluent</b>	<b>Treatment</b>	<b>Mode of final disposal</b>
HTDS  LTDS	ETP consisting of Bar chamber, primary settling tank, Equalization tank, Primary Clarifier Tank, Feed tank, etc. followed by Stripper (50 KLD) with MEE (60 KLD) of 3-Stage, ATFD (7 KLD).  The waste water from MEE & ATFD condensate shall be collected in intermittent collection tank and fed to Biological Treatment system (30 KLD). The Biological treatment consists of Aeration tank, secondary clarifier tank. Intermittent collection tank, pressure sand filter, Activated carbon filter, RO Plant (70 KLD), RO permeate collection tank, RO reject collection tank, sludge drying beds etc.	<ul style="list-style-type: none"> <li>• MEE condensate to biological ETP and MEE concentrate to ATFD. ATFD salts to TSDF.</li> <li>• RO rejects to MEE</li> <li>• RO permeate shall be re-used in the cooling tower makeup.</li> </ul>
Domestic	--	Septic tank followed by a soak pit

6. The ZLD system consisting of stripper, MEE, ATFD system with condenser and Biological ETP, RO plant shall be installed and commissioned. All the units of the ZLD system shall be impervious to prevent ground water pollution. The units of ZLD system shall be constructed above the ground level.

Effluents shall not be discharged on land or into any water bodies or aquifers under any circumstances.

7. The industry shall provide digital flow meters with totalisers at the inlet and outlet of Stripper, MEE, ETP and RO.
8. The industry shall install online real time monitoring system along with web camera facilities and shall ensure that it is connected to APPCB / CPCB websites as per CPCB directions.
9. Floor washing shall be admitted into the effluent collection system only and shall not be allowed to find their way in storm drains or open areas. All pipe valves, sewers, drains shall be leak proof.

**Air:**

10. The Air pollution Control equipment shall be installed along with the commissioning of the activity and shall comply with the following for controlling air pollution.

S.N	Details of Stack	Stack 1
a)	Attached to	DG Set
b)	Capacity	1010 KVA
c)	Name of the Fuel	Diesel
d)	Stack height above roof (m.)	6.5 m
e)	Air Pollution Control Equipment	Acoustic enclosure with silencer.

**Note :** The proponent has not proposed to install boiler for steam requirement. It is proposed to meet Steam requirement through pipeline from M/s. Allegro Specialty Chemicals Private Limited, which is located beside the proposed industry in East direction, as the industry installed 6.0 TPH boiler and producing excess steam than their requirement.

11. A sampling port with removable dummy of not less than 15 cm diameter shall be provided in the stack at a distance of 8 times the diameter of the stack from the nearest constraint such as bends etc. A platform with suitable ladder shall be provided below 1 meter of sampling port to accommodate three persons with instruments. A 15 AMP 250 V plug point shall be provided on the platform.
12. The industry shall install the monitoring system to all the stacks / vents in the plant. Regular monitoring shall be carried out and report shall be submitted to the Regional officer.
13. The industry shall provide multi-stage scrubbers to the process vents to control the process emissions. The industry shall ensure that online pH measuring facility with auto recording system shall be provided and connected to the scrubbers.
14. The industry shall provide VOC monitoring system with auto recording facility.
15. The industry shall implement adequate measures to control all fugitive emissions from the plant.
16. The proponent shall ensure compliance of the National Ambient Air quality standards notified by MoEF, Gol vide notification No. GSR. 826 (E), dated. 16.11.2009 during construction and regular operational phase of the project at the periphery.

The generator shall be installed in a closed area with a silencer and suitable noise absorption systems. The ambient noise level shall not exceed 75 dB(A) during day time and 70 dB(A) during night time.

17. The proponent shall not use or generate odour causing substances or Mercaptans and cause odour nuisance in the surroundings.
18. The industry shall send the used / spent solvents to the recyclers (or) process them at their own solvent recovery facility within the premises.
19. The evaporation losses in solvents shall be controlled by taking the following measures:
  - i. Chilled brine circulation shall be carried out to effectively reduce the solvent losses into the atmosphere.
  - ii. Transfer of solvents shall be done by using pumps instead of manual handling.
  - iii. Closed centrifuges shall be used to reduce solvent losses.
  - iv. All the solvent storage tanks shall be connected with vent condensers to prevent solvent vapours.
  - v. The reactor vents shall be connected with primary & secondary condensers to prevent escaping of solvent vapour emissions into atmosphere.

**Solid / Hazardous Waste:**

20. The industry shall comply with the following for disposal of Solid waste:

<b>S.No.</b>	<b>Type of waste</b>	<b>As per CFE order dt.17.09.2018</b>	<b>After expansion</b>	<b>Method of disposal</b>
1)	Organic Residue (Distillation Bottom Residue)	396 kg/day	2748 kg/day	Shall be sent to cement units for co-processing/ TSDF for incineration
2)	Spent mixed solvents from stripper	500 kg/day	500 kg/day	Shall be sent to cement units for co-processing/ TSDF for incineration
3)	Spent carbon	25 kg/day	25 kg/day	
4)	ETP sludge	132.50 kg/day	180 kg/day	Shall be disposed to TSDF for secured land filling.
5)	Inorganic salts (evaporation salts)	2320.80 kg/day	2208 kg/day	
6)	Waste Oil	200 Ltrs/ Month	200 Ltrs/ Month	Shall be disposed to authorized Re-processors / Recyclers
7)	Detoxified Containers	500 Nos./ Month	500 Nos./Month	Shall be sent to outside agencies, after complete detoxification
8)	Used Lead Acid Batteries	2 Nos./ Annum	2 Nos./Annum	Shall be send back to suppliers on buyback system
9)	Distillation bottom residue	250 Kg/day	--	Shall be sent to cement units for co-processing/ TSDF for incineration
10)	Used PPE	---	100 kg/ Month	Shall be sent to cement units for co-processing/ TSDF for incineration

21. The proponent shall place the chemical drums and / or any drums in a shed provided with concrete platform only. The Platform shall be provided with sufficient dyke wall and effluent collection system. The industry shall provide containers detoxification facility. Container & Container liners shall be detoxified at the specified covered platform with dyke walls and the wash wastewater shall be routed to low TDS collection tank.
22. The following rules and regulations notified by the MoEF&CC, GoI shall be implemented.
  - a) Regulation of Persistent Organic Pollutants Rules, 2018.
  - b) Hazardous waste and other wastes (Management and Transboundary Movement) Rules, 2016.
  - c) Plastic Waste Management Rules, 2016.
  - d) Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989
  - e) Fly Ash Notification, 2016.
  - f) Batteries (Management & Handling) Rules, 2010.
  - g) E-Waste (Management) Rules, 2016.
  - h) Construction and Demolition waste Management Rules, 2016.
  - i) Solid Waste Management Rules, 2016.
  - j) The Public Liability Insurance Act, 1991 and its amendments thereof.

**Other Conditions:**

23. **The industry shall submit compliance to the conditions stipulated in the EC and CFE orders to the concerned Regional Officer of APPCB every six months and shall upload the same at APPCB website viz., [https://pcb.ap.gov.in/UI/Submission\\_Compliance\\_of\\_EC\\_CFE\\_CFO\\_Direction.aspx](https://pcb.ap.gov.in/UI/Submission_Compliance_of_EC_CFE_CFO_Direction.aspx)**
24. Existing green belt shall not be disturbed due to the proposed expansion. Thick green belt shall be maintained all along the boundary & vacant spaces with tall growing trees with good canopy and it shall not be less than 18% of the total area.
25. The industry shall submit the information regarding usage of Ozone Depleting Substance once in six months to the Regional Office and Zonal Office of the Board.
26. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order attracts action under the provisions of relevant pollution control Acts.
27. Notwithstanding anything contained in this conditional letter or consent, the Board hereby reserves its right and power Under Sec. 27(2) of Water (Prevention and Control of Pollution) Act, 1974 and Under Sec.21(4) of Air (Prevention and Control of Pollution) Act, 1981 to revoke the order, to review any or all the conditions imposed herein and to make such modifications as deemed fit and stipulate any additional conditions.

28. Any person aggrieved by an order made by the State Board under Section 25, Section 26, Section 27 of Water Act, 1974 or Section 21 of Air Act, 1981 may within thirty days from the date on which the order is communicated to him, prefer an appeal as per Andhra Pradesh Water Rules, 1976 and Air Rules, 1982, to such authority (hereinafter referred to as the Appellate Authority) constituted under Section 28 of Water (Prevention and Control of Pollution) Act, 1974 and Section 31 of the Air (Prevention and Control of Pollution) Act, 1981.

**VIVEK YADAV IAS, MS(VY), O/o MEMBER SECRETARY-APPCB  
MEMBER SECRETARY**

**To**

**M/s. NATCO Pharma Limited, (expn)  
Road No.26,  
House No.8-2-293/82/A/530  
Jubilee Hills, Hyderabad – 500 033.  
rajesh.chebiyam@natcopharma.co.in**